INDEX TO VOLUME 67

SCIENTIFIC NAMES

Abies concolor: 53
Acanthogobius flavimanus: 20
Adenostoma fasciculatum: 54
Aguila chrysaetos: 111
Allocaya bracteata: 254
Alopecurus Howellii: 255
Amaranthus sp.: *254*
Amphissa columbiana: 236
Amploplites rupestris: 34
Anguilla rostrata: 30
Anisakis sp.: *240–245*
Anisotremis davidsonii: 9
Anodonta spp.: *140*
Arctostaphylos spp.: *54*
Artedius harringtoni: 236
Artedius laterales: 250
Assiminea spp.: *141*
Bairdiella icistia: 10
Bakerilymnaea spp.: *141*
Batillaria spp.: *141*
Bellamya sp.: *141*
Biomphalaria sp.: *141*
Calliostoma ligatum: 236
Callitrich longipedunculata: 255
Canis latrans: 111
Carcharodon carcharias: 76
Carcharhinus leucas: 77
Catostomus spp.: *14*
Ceanothus spp.: *54*
Cercocarpus betuloides: 57
Cerithidea spp.: *141*
Cetorhinus maximus: 87
Chamaebatia foliolosa: 257
Chanos chanos: 31
Chenopodium sp.: *254*
Chorizanthe uniaristata: 254
Cichlasoma beani: 35
Cipangopaludina sp.: *141*
Clinocottus analis: 187–195, 250
Clupea spp.: *11*
Corbicula sp.: *140*
Coregonus clupeaformis: 30
Cottus spp.: *17*
Ctenopharyngodon idella: 31
Cynolebias bellottii: 32
Cynoscion spp.: *10*
Cyprinodon mulleri: 15
Cyprinodon spp.: *28*
Elatine californica: 254
Eleotris picta: 23
Embiotoca lateralis: 238
Engraulis mordax: 39–51, 62–65
Engraulis mordax nanus: 39
Enhydra lutris: 83
Enneacanthus gloriosus: 34
Eremocarpus setigerus: 116
Eriognonum gracillimum: 254
Esox spp.: *31*
Felis concolor: 111
Ferrissia spp.: *141*
Fontelicella sp.: *141*
Fossaria spp.: *141*
Fundulus heteroclitus: 182
Gadus callarius: 170
Galeocerdo cuvier: 77–78
Galeorhinus zyopterus: 82
Gambusia affinis holbrooki: 33
Gila crassicauda: 196
Gila spp.: *12, 13*
Girella nigricans: 164
Gonidea sp.: *140*
Goniobasiss spp.: *141*
Gulo gulo: 132–133
Gyraulis spp.: *141*
Helisoma spp.: *141*
Hemizonia sp.: *254*
Hesperoleucus spp.: *13*
Hexagrammos decagrammus: 238
Hypomesus spp.: *11*
Hypsopsetta guttulata: 67
Hysterocarpus spp.: *19*
Ictalurus furcatus: 15
Ictalurus spp.: *23, 32*
Ictiobus cyprinella: 22
Juga spp.: *141*
Juniperus californica: 112
Labidesthes sicculus: 33
Lamna oxyrinchus: 94
Lampetra spp.: *10–11*
Lanx spp.: *141*
Lavinia exilicauda: 196
Lavinia exilicauda chi: 14
Lavinia symmetricus: 196
Lebistes reticulatus: 33
Lepomis cyanellus: 123
Lepomis macrochirus purpurescens: 123
Lepomis spp.: *17, 34*
Leuresthes tenuis: 134
Limnanthes spp.: *254*
Littorina spp.: *141*
Lophortyx californica: 116
Lucania parva: 15
Lymnaea spp.: *141*
Lynx rufus: 111
Macrocystis pyrifera: 82
Medicago sativa: 257
Menetus sp.: *141*
Menidia audens: 16
Micromenetus sp.: *141*
Micropterus dolomieui: 124
Micropterus spp.: *18, 118*
Mirounga angustirostris: 92
Misgurnus anguillicaudatus: 14
Morone spp.: *17*
Musculium spp.: *141*
Nereocystis leutkeana: 82
Odocoileus hemionus: 111
Oligocottus snyderi: 250–254
Ophiodon elongatus: 92, 231–239
Orcuttia, spp.: *254*
Orthodon microlepidotus: 196–198
Oryzias latipes: 32
Pantosteus lahontan: 23
Paralichthys californicus: 67

Pagurus sp.: *236*
Percina macrolepida: 19
Phoca vitulina: 93, 126–129
Phocanema sp.: *240–245*
Phoradendron villosum: 257
Phyllolithodes pepillosus: 237
Physa spp.: *141*
Pimephales promelas confertus: 21
Pinus coulteri: 53
Pinus lambertiana: 53
Pinus murrayana: 53
Punus ponderosa: 257
Pisidium spp.: *141*
Plagopterus argentissimus: 22
Planorbella spp.: *141*
Plecoglossus altivelis: 30
Poecilia spp.: *15, 16*
Poeciliopsis gracilis: 16
Pogonichthys ciscordes: 14
Polygonum sp.: *254*
Pomatiopsis spp.: *141*
Prionace glauca: 78
Promenetus spp.: *141*
Prosopium gemmiferum: 30
Prosopium williamsoni: 12
Prunus ilicifolia: 54
Prunus virginiana: 54
Pseudosuccinea spp.: *141*
Pseudotsuga macrocarpa: 53
Pycnopodia helianthoides: 238
Pylodictis olivaris: 15
Pyrgulopsis sp.: *141*
Quercus agrifolia: 111
Quercus chrysolepis: 54, 112
Quercus douglasii: 112
Quercus kelloggii: 54, 257
Quercus lobata: 112
Quercus wislizenii: 54, 112
Radix spp.: *141*
Rhamnus californica: 54
Rhinichthys osculus carringtonii: 22
Rivulus hartii: 33
Rumex sp.: *254*
Salix spp.: *120*
Salmo aguabonita: 204–230
Salmo aguabonita aguabonita: 204
Salmo aguabonita whitei: 204
Salmo clarkii pleuriticus: 12
Salmo gairdneri: 179, 204
Salmo gairdneri gilberti: 205
Salmo gairdneri regalis: 21
Salmo irridus: 221
Salmo pleuriticus: 221
Salmo roosevelti: 221
Salmo rosei: 221
Salmo salar: 31
Salmo trutta: 179
Salmo tsuppitch: 221
Salvelinus confluentus: 12
Salvelinus fontinalis: 183
Salvelinus malma: 27
Savaginius sp.: *141*
Scyra acutifrons: 236
Sebastes chlorostictus: 247
Sebastes diploproa: 164–165
Sebastes elongatus: 247
Sebastes emphaeus: 236
Sebastes entomelas: 246–249
Sebastes goodei: 246–249
Sebastes levis: 246–249
Sebastes melanops: 246
Sebastes minatus: 170, 246–249
Sebastes paucispinis: 170, 246–249
Sebastes pinniger: 247
Sebastes rubrivinctus: 247
Siphatales bicolor formosus: 22
Sphaerium spp.: *141*
Sphyraena argentea: 80
Sphyrna sp.: *78*
Squatina californica: 81
Stizostedion vitreum: 34
Strongylocentrotus franciscanus: 236
Strongylocentrotus purpuratus: 236
Sus scrofa: 105–117
Sygnathus leptorhynchus: 16
Symphurus atricauda: 65–67
Symphurus diomedianus: 65–67
Symphurus plagiusa: 65–67
Thiara spp.: *141*
Tilapia spp.: *19, 20*
Tillaea erecta: 255
Triakis semifasciata: 81
Tridentiger trigonocephalus: 20
Trifolium amplectens: 254
Tryonia spp.: *141*
Urus americanus: 52–61
Valvata spp.: *141*
Vorticifex sp.: *141*
Xiphophorus variatus: 33
Zalophus californianus: 93
Zenaidura macroura: 116

SUBJECT

Anchovy: Estimated mortality rate, in Southern California, 62–65
Anchovy, northern: Electrophoretic, morphometric, and meristic studies of subpopulations, 39–51
Bass, Alabama spotted: Spawning behavior and requirements of, in Lake Perris, Riverside County, 118–125
Bear, black: Denning characteristics of, in San Bernardino Mountains, 52–61
Blackfish, Sacramento: Hybridization with hitch in San Luis Reservoir, California, 196–198
Fishes: List of freshwater and anadromous, of California, 4–38
Grunion, California: Spawning, in Monterey Bay, California, 134
Hitch: Hybridization with blackfish in San Luis Reservoir, California, 196–198
Lingcod: Spawning and nesting in San Juan Channel, Washington, 231–239
Mollusks, freshwater: Distributional checklist of, in California, 140–163

Oaks, black: Deer use, with and without mistletoe, 257–260
Pigs, wild: History and status of, in San Benito county, California, 105–117
Plants, vernal pool: Conservation of, at Pixley Reserve, California, 254–256
Sculpin, fluffy: Seasonal population changes, in Trinidad Bay, California, 250–253
Sculpin, wooly: Intraspecific behavioral interactions and factors influencing tidepool selection, 187–195
Seals, harbor: Census of, in San Luis Obispo, California, 1972–1973, 126–129
Rockfishes: Movements of deepwater forms, off southern California, 246–249
Rockfish, splitnose: Role of temperature and photoperiod in ontogenetic migration of prejuveniles, 164–175
Roundworms, anisakine: Larval forms, from marine fishes in southern and central California, with comments on public health significance, 240–245
Sharks: Attacks by, in California and Oregon, from 1926–1979, 76–104
Tags, coded wire nose: slide rule for locating and decoding bit values, 129–131
Tonguefish, California: First record of dextrality, with a second report on ambicoloration, 65–67
Trout: Copper, Zinc, and cadmium, concentrations of, related to acid-mine wastes, 176–186
Trout, Golden: Systematics of, from the Sierra Nevada, 204–230
Wolverine: Records for the White Mountains, California, 132–133

AUTHORS

Aasen, Kenneth D., and Francis D. Henry, Jr.: Spawning Behavior and Requirements of Alabama Spotted Bass, *Micropterus punctulatus henshalli,* in Lake Perris, Riverside County, California, 118–125
Ashcraft, Gordon C.: Deer Use Under Black Oaks With and Without Mistletoe, 257–260
Barrett, Reginald H., and Donald S. Pine: History and Status of Wild Pigs, *Sus scrofa,* in San Benito County, California, 105–117
Boehlert, George W.: The Role of Temperature and Photoperiod in the Ontogenetic Migration of Prejuvenile *Sebastes diploproa* (Pisces:
Collier, Ralph S.: see Miller and Collier, 76–104
Cordone, Almo J.: see Shapovalov, Cordone, and Dill, 4–38
Dailey, Murray D., Lauritz A. Jensen, and Barbara Westerhof Hill: Larval Anisakine Roundworms of Marine Fishes from Southern and Central California, with Comments on Public Health Significance, 240–245
Dill, William A.: see Shapovalov, Cordone, and Dill, 4–38
Finlayson, B.: see Wilson, Finlayson, and Morgan, 176–186
Gall, G. A. E.: see Gold and Gall, 204–230
Gold, J. R., and G. A. E. Gall: Systematics of Golden Trout, *Salmo aquabonita,* from the Sierra Nevada, 204–230
Hanan, Doyle: Update of the Estimated Mortality Rate of *Engraulis mordax* in Southern California, 62–64
Henry, Jr., Francis D.: see Aasen and Henry, Jr., 118–125
Hill, Barbara Westerhof: see Dailey, Jensen, and Hill, 240–245
Holland, R. F., and S. K. Jain: Conservation of Vernal Pool Plants in California: I. A Report on Pixley Reserve, 254–256
Jain, S. K.: see Holland and Jain, 254–256
Jensen, Lauritz A.: see Dailey, Jensen, and Hill, 240–245
Jessup, David D.: see LaRiviere, Jessup, and Mathews, 231–239
Kovach, Steven D.: Wolverine, *Gulo gulo,* Records for the White Mountains, California, 132–133
LaRiviere, Mark G., David D. Jessup, and Stephen B. Mathews: Lingcod, *Ophiodon elongatus,* Spawning and Nesting in San Juan Channel, Washington, 231–239
Lesh, E. W. (Joe), and John H. Rowell: A Slide Rule for Locating and Decoding Bit Values on Six-Bit Coded Wire Nose Tags, 129–131
Love, Milton, S.: Evidence of Movements of Some Deepwater Rockfishes (Scorpaenidae: Genus *Sebastes*) Off Southern California, 246–249
Messingill, Michael: see Moyle and Massingill, 196–198
Mathews, Stephen B.: see LaRiviere, Jessup, and Mathews, 231–239
Miller, Daniel J., and Ralph S. Collier: Shark Attacks in California and Oregon, 1926–1979, 76–104
Morgan, N.: see Wilson, Finlayson, and Morgan, 176–186
Moring, John R.: Seasonal Changes in a Population of the Fluffy Sculpin, *Oligocottus snyderi,* from Trinidad Bay, California, 250–253
Moyle, Peter B., and Michael Massingill: Hybridization Between Hitch, *Lavinia exilicauda,* and Sacramento Blackfish, *Orthodon microlepidotus,* in San Luis Reservoir, California, 196–198

Novick, Harold J., John M. Siperek, and Glenn R. Stewart: Denning Characteristics of Black Bears, *Ursus americanus,* in the San Bernardino Mountains of Southern California, 52–61

Paloma, Pedro A.: see Vrooman, Paloma, and Zweifel, 39–51

Pine, Donald S.: see Barrett and Pine, 105–117

Richkus, W. A.: Laboratory Studies of Intraspecific Behavior Interactions and Factors Influencing Tidepool Selection of the Wooly Sculpin, *Clinocottus analis,* 187–195

Rowell, John H.: see Lesh and Rowell, 129–131

Shapovalov, Leo, Almo J. Cordone, and William A. Dill: A List of the Freshwater and Anadromous Fishes of California, 4–38

Siperek, John M.: see Novick, Siperek, and Stewart, 52–61

Spratt, Jerome D.: California Grunion, *Leuresthes tenius, Spawn in Monterey Bay, California, 134*

Stewart, Glenn R.: see Novick, Siperek, and Stewart, 52–61

Taylor, Dwight W.: Freshwater Mollusks of California: A Distributional Checklist, 140–163

Telders, Edward L.: First Record of Dextrality in the California Tonguefish, *Symphurus atricauda,* with a Second Report of Ambicoloration, 65–67

Vrooman, Andrew M., Pedro A. Paloma, and James R. Zweifel: Electrophoretic, Morphometric, and Meristic Studies of Subpopulations of Northern Anchovies, 39–51

Wade, L. S.: A Census of Harbor Seals, *Phoca vitulina,* in San Luis Obispo County, California, 1972–1973, 126–128

Wilson, D., B. Finlayson, and N. Morgan: Copper, Zinc, and Cadmium Concentrations of Resident Trout Related to Acid-Mine Wastes, 176–186

Zweifel, James R.: see Vrooman, Paloma, and Zweifel, 39–51

Photoelectronic composition by
CALIFORNIA OFFICE OF STATE PRINTING

82337—800 5-81 4,500 LDA